



**Revillusion®**

36" Portrait Built-in Electric Firebox

RBF36P



The Future of  
Fireplaces is Clear.™

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

**Revillusion®**  
by Dimplex

## Revillusion®

### 36" Portrait Built-in Electric Firebox

## RBF36P



### Features

- Revillusion® Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**  
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**  
Adjust the flame base color to red or blue.
- Realogs™ Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Brick-surround Firebox**  
More authentic day or night; 270-degree herringbone brick with natural soot markings.
- Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**  
Automatically adjusts firebox light to suit the room day to night.
- Quick and Easy Installation**  
Simply frame, wire and finish – no venting, gas lines or safety screens.
- Primary Heat**  
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
- All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

### Accessories



36" Tempered Front Glass  
Dimensions:  
35-1/8" W x 26-5/8" H x 3/8" D  
(89.1 cm x 67.5 cm x 1.1 cm)



36" Functional Doors with Tempered Glass  
Dimensions:  
39-3/4" W x 31-3/4" H x 1-1/4" D  
(101.1 cm x 80.8 cm x 3.7 cm)

120 V | 1,300 W | 4,400 BTU  
208 V | 1,975 W | 6,745 BTU  
240 V | 2,575 W | 8,794 BTU

**Mood-maker Remote**  
Customize the light color and intensity for a fireplace that reflects your personality.



Model #	Description	Lbs / Kg	UPC	Wty*	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft³	m³
RBF36P	36" Portrait Built-in Electric Firebox	81.1 / 36.8	781052 108165	2 yrs.	41-1/4 x 35-7/8 x 15-1/4	104.7 x 91.2 x 38.6	13.0	0.4
RBFPLUG	Plug Kit	0.6 / 0.3	781052 107656	1 yr.	7 x 3 x 4	17.8 x 7.6 x 10.2	0.05	0.00
RBFGLASS36P	Single Glass Pane	30.3 / 13.7	781052 108028	1 yr.	42-1/8 x 33-3/4 x 4-1/4	104.4 x 85.6 x 10.7	3.4	0.10
RBFDOOR36P	36" Glass Door	37.0 / 16.6	781052 108066	1 yr.	41-7/8 x 34-1/2 x 4-5/8	106.3 x 87.7 x 11.6	3.8	0.10

Specifications, finishes and dimensions are subject to change. \*Limited warranty. ©2018 Glen Dimplex Americas.


SE-331-R07-081318

## Revillusion®



### 36" Portrait Built-in Electric Firebox

RBF36P

#### Product Dimensions:



#### Framing Dimensions:



**NOTE:** The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

#### RBF36P

A	B	C	D	E	F
12-1/2" (31.8 cm)	36-5/8" (93.0 cm)	30-5/8" (77.8 cm)	60" (152.4 cm)	42-1/2" (108.0 cm)	42-1/2" (108.0 cm)